

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 8' S LONG 123° 44' E

2025

Times and Heights of High and Low Waters

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0000 9.33 0630 1.50 WE 1234 8.77 1837 2.43		16 0044 9.69 0711 1.21 TH 1313 9.29 1921 1.94		1 0107 10.24 0730 0.75 SA 1332 10.00 1944 1.29		16 0128 10.10 0746 1.00 SU 1345 10.10 1959 1.30		1 0018 10.28 0639 0.75 SA 1238 10.31 1853 0.93		16 0038 10.13 0654 1.07 SU 1250 10.32 1909 1.04		1 0057 10.61 0709 0.75 TU 1308 11.10 1933 0.34		16 0058 9.62 0705 1.73 WE 1303 10.07 1925 1.30	
2 0036 9.57 0704 1.34 TH 1309 8.99 1913 2.23		17 0118 9.81 0742 1.17 FR 1344 9.45 1954 1.84		2 0141 10.33 0801 0.72 SU 1403 10.19 2017 1.18		17 0153 9.93 0807 1.18 MO 1408 10.02 2023 1.43		2 0050 10.65 0709 0.49 SU 1308 10.75 1925 0.57		17 0102 10.13 0715 1.12 MO 1313 10.37 1931 1.03		2 0130 10.26 0739 1.08 WE 1339 10.79 2005 0.76		17 0121 9.34 0727 1.98 TH 1325 9.79 1949 1.59	
3 0111 9.70 0739 1.27 FR 1343 9.16 1949 2.11		18 0149 9.75 0810 1.27 SA 1413 9.49 2023 1.89		3 0213 10.16 0832 0.92 MO 1434 10.15 2051 1.31		18 0216 9.61 0828 1.49 TU 1430 9.77 2046 1.72		3 0122 10.71 0738 0.49 MO 1337 10.89 1958 0.51		18 0125 9.96 0735 1.30 TU 1334 10.25 1953 1.18		3 0201 9.67 0807 1.63 TH 1409 10.19 2036 1.44		18 0144 8.98 0749 2.32 FR 1349 9.43 2013 1.99	
4 0147 9.70 0813 1.31 SA 1417 9.24 2027 2.11		19 0217 9.54 0836 1.49 SU 1440 9.39 2052 2.06		4 0246 9.72 0900 1.34 TU 1505 9.89 2125 1.68		19 0239 9.13 0848 1.94 WE 1452 9.37 2110 2.17		4 0153 10.45 0806 0.77 TU 1407 10.73 2028 0.78		19 0147 9.65 0755 1.58 WE 1355 9.98 2015 1.48		4 0232 8.90 0836 2.35 FR 1440 9.37 2108 2.33		19 0208 8.56 0812 2.73 SA 1413 8.98 2039 2.49	
5 0224 9.51 0848 1.51 SU 1454 9.20 2105 2.23		20 0245 9.17 0901 1.84 MO 1507 9.15 2121 2.37		5 0320 9.07 0931 1.94 WE 1538 9.39 2202 2.26		20 0302 8.52 0909 2.52 TH 1514 8.81 2136 2.77		5 0224 9.90 0833 1.28 WE 1436 10.29 2059 1.32		20 0208 9.22 0815 1.98 TH 1416 9.57 2036 1.91		5 0305 8.03 0905 3.21 SA 1514 8.38 2146 3.34		20 0236 8.04 0837 3.27 SU 1442 8.41 2111 3.13	
6 0302 9.14 0924 1.87 MO 1532 9.03 2148 2.50		21 0313 8.65 0926 2.32 TU 1535 8.75 2152 2.82		6 0357 8.25 1004 2.72 TH 1617 8.68 2248 3.03		21 0327 7.79 0929 3.22 FR 1538 8.13 2205 3.51		6 0253 9.16 0859 1.97 TH 1505 9.60 2130 2.11		21 0230 8.69 0834 2.50 FR 1437 9.06 2100 2.49		6 0345 7.06 0942 4.21 SU 1600 7.26 2253 4.39		21 0310 7.39 0909 3.97 MO 1519 7.66 2159 3.91	
7 0345 8.60 1003 2.36 TU 1616 8.72 2238 2.87		22 0344 8.00 0954 2.94 WE 1606 8.22 2228 3.39		7 0444 7.28 1046 3.65 FR 1710 7.79		22 0355 6.95 0950 4.03 SA 1608 7.33 2252 4.35		7 0324 8.24 0926 2.84 FR 1526 8.67 2206 3.10		22 0253 8.05 0854 3.13 SA 1500 8.41 2126 3.21		7 0521 6.12 1132 5.23 MO 1903 6.37		22 0405 6.63 1006 4.80 TU 1634 6.80	
8 0437 7.93 1051 2.97 WE 1709 8.32 2343 3.26		23 0420 7.24 1025 3.66 TH 1644 7.59 2320 3.99		8 0004 3.86 0613 6.34 SA 1211 4.60 1906 7.02		23 0439 6.02 1013 4.94 SU 1712 6.45		8 0401 7.20 0957 3.87 SA 1617 7.55 2307 4.21		23 0319 7.28 0915 3.90 SU 1527 7.60 2203 4.11		8 0244 4.56 0931 6.64 TU 1535 4.56 2140 7.16		23 0000 4.57 0723 6.30 WE 1346 5.05 2005 6.78	
9 0546 7.26 1155 3.60 TH 1822 7.92		24 0514 6.46 1113 4.41 FR 1751 6.97		9 0236 4.09 0915 6.31 SU 1512 4.70 2136 7.28		24 0237 4.76 1025 5.93 MO 1527 5.26 2138 6.74		9 0513 6.08 1058 5.03 SU 1836 6.45		24 0356 6.35 0938 4.83 MO 1611 6.63		9 0402 3.60 1016 7.73 WE 1624 3.46 2225 8.13		24 0243 4.07 0912 7.25 TH 1523 3.99 2126 7.73	
10 0113 3.47 0725 6.87 FR 1328 4.00 1957 7.79		25 0111 4.39 0732 5.98 SA 1323 4.96 2009 6.79		10 0428 3.33 1049 7.24 MO 1647 3.84 2251 8.14		25 0428 3.81 1052 6.95 TU 1641 4.27 2239 7.78		10 0307 4.53 1006 6.36 MO 1556 4.77 2203 7.15		25 0053 4.96 0949 5.91 TU 1503 5.38 2112 6.62		10 0439 2.75 1046 8.63 TH 1657 2.57 2256 8.88		25 0345 3.16 0955 8.35 FR 1611 2.84 2211 8.69	
11 0250 3.26 0905 7.02 SA 1504 3.94 2122 8.05		26 0319 4.06 0948 6.39 SU 1533 4.66 2144 7.29		11 0521 2.46 1130 8.13 TU 1734 2.98 2334 8.92		26 0507 2.81 1117 7.94 WE 1717 3.26 2315 8.78		11 0435 3.46 1049 7.52 TU 1651 3.62 2251 8.20		26 0356 4.04 1020 7.06 WE 1616 4.21 2213 7.76		11 0509 2.14 1110 9.31 FR 1725 1.91 2322 9.38		26 0425 2.35 1029 9.33 SA 1649 1.83 2249 9.45	
12 0409 2.74 1023 7.52 SU 1623 3.53 2230 8.53		27 0430 3.33 1050 7.12 MO 1640 4.00 2242 8.02		12 0559 1.79 1202 8.85 WE 1810 2.30 2347 9.63		27 0539 1.94 1143 8.85 TH 1750 2.35 2347 9.63		12 0513 2.50 1118 8.49 WE 1726 2.67 2323 9.03		27 0437 2.96 1045 8.18 TH 1651 3.04 2249 8.84		12 0535 1.77 1132 9.78 SA 1751 1.47 2346 9.69		27 0501 1.75 1101 10.12 SU 1724 1.06 2324 9.94	
13 0509 2.18 1119 8.09 MO 1721 3.02 2324 9.02		28 0515 2.58 1127 7.85 TU 1724 3.31 2324 8.74		13 0007 9.51 0630 1.33 TH 1231 9.39 1841 1.81		28 0609 1.24 1210 9.66 FR 1821 1.55		13 0542 1.82 1143 9.22 TH 1755 1.98 2351 9.60		28 0508 2.04 1111 9.21 FR 1724 2.00 2322 9.72		13 0559 1.57 1155 10.10 SU 1815 1.19		28 0534 1.38 1134 10.64 MO 1759 0.60 2358 10.14	
14 0555 1.71 1202 8.60 TU 1807 2.55		29 0553 1.93 1159 8.51 WE 1801 2.67		14 0036 9.89 0657 1.07 FR 1257 9.77 1909 1.49		15 0103 10.09 0723 0.97 SA 1321 10.01 1935 1.32		14 0608 1.39 1206 9.75 FR 1821 1.50		29 0539 1.34 1139 10.08 SA 1755 1.15 2353 10.33		14 0010 9.83 0621 1.50 MO 1217 10.25 1839 1.08		29 0608 1.24 1207 10.87 TU 1835 0.46	
15 0007 9.42 0636 1.39 WE 1240 9.00 1846 2.18		30 0000 9.39 0626 1.39 TH 1230 9.10 1836 2.09		15 0103 10.09 0723 0.97 SA 1321 10.01 1935 1.32		15 0015 9.96 0632 1.16 SA 1228 10.11 1845 1.20		15 0015 9.96 0632 1.16 SA 1228 10.11 1845 1.20		30 0609 0.88 1207 10.72 SU 1828 0.55		15 0034 9.80 0643 1.56 TU 1240 10.24 1902 1.12		30 0034 10.06 0642 1.33 WE 1241 10.77 1911 0.64	
		31 0033 9.91 0659 0.99 FR 1301 9.61 1910 1.61						31 0025 10.63 0639 0.68 MO 1238 11.08 1900 0.27							

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 8' S LONG 123° 44' E

2025

Times and Heights of High and Low Waters

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0320 0948 MO 1540 2135	7.90 3.40 6.77 4.02	16 0348 1036 TU 1642 2235	7.54 3.90 6.14 4.76	1 0308 0945 WE 1541 2126	7.29 4.06 6.17 4.84	16 0609 1348 TH 2039	6.35 4.41 6.54	1 0104 0727 SA 1403 2039	4.98 6.46 4.17 7.02	16 0303 0909 SU 1518 2130	3.51 7.44 3.34 8.23	1 0132 0742 MO 1354 2017	3.89 7.10 3.67 7.94	16 0258 0905 TU 1508 2119	3.45 7.11 3.82 7.99
2 1033 TU 1621 2157	7.06 4.28 5.86 4.92	17 0537 1403 WE 2115	6.42 4.45 6.15	2 0350 1234 TH 2114	6.35 4.86 5.85	17 0255 0904 FR 1525 2144	4.42 6.98 3.56 7.60	2 0257 0900 SU 1514 2128	4.05 7.30 3.36 8.04	17 0352 0956 MO 1602 2206	2.72 8.07 2.84 8.84	2 0249 0857 TU 1501 2114	3.09 7.69 3.20 8.67	17 0354 1001 WE 1602 2205	2.88 7.58 3.46 8.42
3 1431 WE 2212	6.16 4.69 5.88	18 0314 0926 TH 1559 2219	4.70 6.91 3.45 7.34	3 0258 0858 FR 1531 2157	5.20 6.40 4.03 6.92	18 0354 0958 SA 1611 2219	3.30 7.94 2.71 8.56	3 0346 0947 MO 1557 2204	2.92 8.25 2.57 9.02	18 0429 1031 TU 1637 2237	2.07 8.57 2.46 9.30	3 0345 0950 WE 1554 2200	2.23 8.31 2.71 9.33	18 0437 1043 TH 1643 2244	2.36 8.01 3.11 8.79
4 0934 TH 1611 2236	5.07 6.54 3.78 6.85	19 0422 1024 FR 1644 2251	3.49 8.01 2.45 8.39	4 0358 0954 SA 1612 2223	4.08 7.48 3.02 8.00	19 0432 1033 SU 1644 2247	2.34 8.73 2.07 9.28	4 0425 1025 TU 1634 2237	1.89 9.05 1.94 9.83	19 0501 1101 WE 1707 2305	1.59 8.92 2.22 9.61	4 0432 1036 TH 1639 2243	1.53 8.80 2.33 9.82	19 0513 1119 FR 1720 2319	1.97 8.34 2.84 9.07
5 1025 FR 1648 2259	4.09 7.55 2.83 7.80	20 0500 1100 SA 1717 2319	2.45 8.91 1.71 9.20	5 0430 1028 SU 1644 2248	2.95 8.51 2.14 8.99	20 0503 1102 MO 1713 2311	1.64 9.28 1.67 9.78	5 0500 1101 WE 1708 2309	1.07 9.61 1.52 10.41	20 0530 1130 TH 1735 2333	1.30 9.11 2.10 9.75	5 0515 1119 FR 1723 2325	1.08 9.10 2.09 10.09	20 0547 1152 SA 1753 2352	1.73 8.55 2.66 9.24
6 1058 SA 1718 2322	3.13 8.50 2.01 8.67	21 0532 1129 SU 1745 2344	1.68 9.53 1.24 9.76	6 0501 1059 MO 1713 2314	1.93 9.38 1.45 9.84	21 0530 1127 TU 1738 2335	1.17 9.60 1.46 10.10	6 0534 1136 TH 1743 2343	0.54 9.89 1.31 10.71	21 0558 1159 FR 1803	1.19 9.13 2.11	6 0558 1202 SA 1806	0.87 9.22 1.99	21 0620 1224 SU 1826	1.62 8.66 2.55
7 1127 SU 1746 2348	2.25 9.32 1.34 9.44	22 0559 1155 MO 1810	1.17 9.89 1.01	7 0531 1129 TU 1743 2341	1.08 10.01 0.98 10.49	22 0556 1153 WE 1802 2358	0.89 9.74 1.41 10.23	7 0610 1211 FR 1817	0.33 9.90 1.33	22 0000 0626 SA 1227 1830	9.73 1.25 9.03 2.21	7 0007 0641 SU 1245 1850	10.14 0.89 9.20 2.01	22 0024 0651 MO 1254 1857	9.33 1.59 8.73 2.49
8 1156 MO 1814	1.48 9.95 0.86	23 0607 0625 TU 1219 1833	10.13 0.87 10.05 0.95	8 0602 1200 WE 1812	0.47 10.35 0.75	23 0621 1218 TH 1826	0.80 9.71 1.49	8 0017 0647 SA 1247 1853	10.69 0.44 9.66 1.57	23 0028 0654 SU 1254 1857	9.60 1.42 8.84 2.38	8 0051 0724 MO 1328 1934	9.99 1.10 9.07 2.16	23 0055 0721 TU 1325 1928	9.36 1.60 8.79 2.46
9 1226 TU 1843	10.08 0.88 10.34 0.58	24 0630 0649 WE 1244 1856	10.32 0.74 10.02 1.04	9 0633 1232 TH 1842	10.88 0.16 10.39 0.77	24 0645 1242 FR 1848	0.89 9.51 1.69	9 0054 0725 SU 1325 1930	10.38 0.84 9.21 2.00	24 0055 0722 MO 1323 1925	9.38 1.66 8.62 2.59	9 0134 0806 TU 1411 2018	9.68 1.44 8.87 2.42	24 0126 0752 WE 1356 2001	9.34 1.64 8.83 2.47
10 1257 WE 1912	10.52 0.49 10.45 0.55	25 0652 0713 TH 1307 1917	10.32 0.79 9.81 1.25	10 0641 1304 FR 1912	10.94 0.11 1.05	25 0645 1242 SA 1911	9.97 1.13 1.98	10 0132 0803 MO 1405 2010	9.81 1.46 8.64 2.57	25 0123 0750 TU 1351 1954	9.13 1.94 8.40 2.84	10 0217 0847 WE 1454 2102	9.24 1.87 8.61 2.76	25 0158 0823 TH 1428 2035	9.24 1.74 8.83 2.55
11 1328 TH 1940	10.70 0.40 10.24 0.77	26 0715 0735 FR 1330 1937	10.14 1.00 9.46 1.59	11 0712 0738 SA 1336 1942	10.67 0.57 9.56 1.56	26 0709 1242 SU 1330 1933	9.64 1.48 8.80 2.34	11 0212 0844 TU 1449 2053	9.08 2.21 8.02 3.23	26 0154 0821 WE 1424 2029	8.83 2.25 8.15 3.15	11 0302 0928 TH 1538 2150	8.70 2.37 8.30 3.17	26 0232 0855 FR 1502 2112	9.03 1.95 8.74 2.72
12 1358 FR 2007	10.57 0.62 9.76 1.23	27 0737 0757 SA 1352 1958	9.80 1.36 8.99 2.02	12 0714 0811 SU 1409 2013	10.10 1.23 8.83 2.25	27 0756 1242 MO 1354 1958	9.23 1.91 8.37 2.76	12 0257 0931 WE 1543 2150	8.25 2.99 7.42 3.92	27 0229 0858 TH 1505 2110	8.45 2.63 7.85 3.55	12 0348 1012 FR 1627 2245	8.08 2.92 7.94 3.60	27 0309 0931 SA 1541 2156	8.67 2.29 8.56 2.98
13 1428 SA 2034	10.15 1.13 9.06 1.88	28 0758 0819 SU 1414 2018	9.34 1.84 8.44 2.55	13 0725 0845 MO 1444 2045	9.30 2.09 7.98 3.08	28 0756 1242 TU 1422 2024	8.76 2.41 7.89 3.28	13 0357 1035 TH 1701 2322	7.41 3.71 6.94 4.45	28 0311 0943 FR 1557 2208	7.95 3.10 7.50 3.98	13 0443 1106 SA 1728	7.44 3.49 7.59	28 0353 1013 SU 1628 2251	8.17 2.76 8.28 3.30
14 1459 SU 2101	9.50 1.87 8.20 2.67	29 0821 0843 MO 1438 2039	8.77 2.45 7.79 3.19	14 0825 0926 TU 1528 2127	8.33 3.08 7.07 4.03	29 0855 1456 WE 2057	8.19 3.02 7.30 3.91	14 0534 1221 FR 1904	6.77 4.12 6.93	29 0411 1046 SA 1712 2339	7.37 3.59 7.25 4.23	14 0000 0600 SU 1220 1852	3.93 6.90 3.95 7.41	29 0450 1106 MO 1729	7.57 3.30 7.98
15 1536 MO 2133	8.62 2.81 7.21 3.65	30 0242 0909 TU 1504 2101	8.09 3.19 7.04 3.94	15 0830 1032 WE 1701 2313	7.24 4.09 6.22 4.95	30 0302 0940 TH 1549 2152	7.49 3.74 6.64 4.66	15 0142 0749 SA 1413 2037	4.27 6.84 3.88 7.52	30 0547 1218 SU 1853	6.95 3.87 7.36	15 0138 0744 MO 1354 2017	3.89 6.78 4.06 7.59	30 0007 0614 TU 1224 1854	3.53 7.07 3.77 7.82
				31 0406 1117 FR 1824	6.69 4.40 6.26							31 0145 0758 WE 1359 2024	3.41 7.00 3.88 8.03		

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◑ First Quarter

○ Full Moon

◐ Last Quarter